

# Fortress

2-0-2

A source of nutrients that support plant nutrition

## GUARANTEED ANALYSIS

|                                   |       |
|-----------------------------------|-------|
| Total Nitrogen (N).....           | 2%    |
| 2% Ammoniacal Nitrogen            |       |
| Soluble Potash ( $K_2O$ ).....    | 2%    |
| Sulfur (S).....                   | 1.50% |
| 1.50% Combined Sulfur             |       |
| Manganese (Mn).....               | 0.80% |
| 0.8% Water Soluble Manganese (Mn) |       |
| Molybdenum (Mo).....              | 0.05% |

Derived from: Manganese (II) sulfate, Ammonium molybdate,  
sugar beet vinasse

For agricultural and commercial use only.

## APPLICATIONS

Direction for use: Shake well before use

| CROP                      | RATE (PER APPLICATION)                                       | APPLICATION (FOLIAR)                                        |
|---------------------------|--------------------------------------------------------------|-------------------------------------------------------------|
| Horticultural Crops       |                                                              |                                                             |
| Glasshouse crops          | 16-32oz/acre<br>(dilute in a minimum of 20 gallons water)    | Apply from pre-flowering to fruit set                       |
| Fruiting Vegetables       |                                                              | Apply from pre-flowering to fruit set                       |
| Leafy Vegetables          |                                                              | Apply at 7-14 day intervals during crop development         |
| Bulb Vegetables           |                                                              | Apply at 7-14 day intervals during crop development         |
| Root Vegetables           |                                                              | Apply at 7-14 day intervals during crop development         |
| Strawberries              |                                                              | Apply from pre-flowering to fruit set                       |
| Cucurbits                 |                                                              | Apply from pre-flowering to fruit set                       |
| Ornamentals               |                                                              | Apply at 14-21 day intervals throughout the flowering cycle |
| Woody Perennials          |                                                              |                                                             |
| Pome Fruit                | 16-32oz/acre<br>(dilute in a minimum of 20 gallons water)    | Apply from pre-flowering to fruit set                       |
| Stone Fruit               |                                                              |                                                             |
| Citrus                    |                                                              |                                                             |
| Nuts                      |                                                              |                                                             |
| Grape                     |                                                              |                                                             |
| Coffee                    |                                                              |                                                             |
| Tropical crops            |                                                              |                                                             |
| Blueberries / Bush Fruits |                                                              |                                                             |
| Broad Acre                |                                                              |                                                             |
| Cereals                   | 16-32 oz. per acre (dilute in a minimum of 20 gallons water) | Apply from pre-flowering to early grain fill                |
| Corn                      |                                                              | Apply from tasselling to grain filling                      |
| Potato                    |                                                              | Apply from pre-flowering through tuber filling              |
| Sugar beet                |                                                              | Apply from canopy development to bulb filling               |
| Rice                      |                                                              | Apply from pre-flowering to early grain fill                |
| Cotton                    |                                                              | Apply from pre-flowering to early boll development          |
| Legumes                   |                                                              | Apply from pre-flowering to pod set                         |
| Grass                     |                                                              | Apply at 14-21 day intervals during intensive growth        |
| Oilseed rape (Canola)     |                                                              | Apply from pre-flowering to pod set                         |
| Tobacco                   |                                                              | Apply from pre-flowering and during leaf ripening           |

## COMPATIBILITY

Fortress is not compatible with products containing copper. It is recommended to perform a compatibility test with other products before mixing and to perform small scale crop trials before using the product.

## WARNING



KEEP OUT OF REACH OF CHILDREN

May cause damage to organs through prolonged or repeated exposure.  
Precautionary statements  
Do not breathe dust/ fumes/ gas/ mist/ spray.  
Get medical advice/ attention if you feel unwell  
Dispose of contents/container to an appropriate waste disposal plant.

## STORAGE

Keep in the original pack. Ensure packaging is sealed and kept in dry conditions. Do not expose to direct sunlight. Storage temperature must be between 41° and 104°F (5° and 40°C).

## DISPOSAL

Dispose of product and packaging in accordance with local law. Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>  
WARNING: The application of fertilizers containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

## LIABILITY

The company limits its liability strictly to composition, formulation and content. Always read the label before use and use proper protection when handling the product. In case of mixing, contact the company's technical service. The user will be responsible for any damage caused (lack of effectiveness, toxicity in general, residues) by total or partial non-observance of the instructions on the label.

Information about the components of this lot of fertilizer may be obtained by writing to YieldMaster Solutions and giving the lot number which is found on the bottom of the container label.  
and giving the lot number which is found on the bottom of the container label.



## DISTRIBUTED BY:

YieldMaster Solutions  
103 US HWY 14 East  
De Smet, SD 57231

## GUARANTEED BY:

Agri Sciences Biologicals USA LLC  
8601 Six Forks Road, Suite 400  
Raleigh, North Carolina 27615  
For US inquires - 984 292 1977  
info-us@agri-sci-biologicals.com  
[www.us.agri-sci-biologicals.com](http://www.us.agri-sci-biologicals.com)

NET VOLUME: 2.5 gal (9.46 L)

NET WEIGHT: 25.24 lbs (11.45 kg)

Manufacturing date:

Batch No.: